

工位数 S	转位 角度	曲线	规格	静扭力 Ts (kgf-m)	动扭力 (kgf-m) 分割回转速度 N (rpm)						摩擦 扭力 Tx(kgf-m)	轴承 直径 (mm)
					50	75	100	150	200	300		
1	270	MCV50	22.5D	254	105.56	93.42	85.69	75.97	69.64		3.45	80
	300			265.16	106.68	94.51	86.69	76.71	70.42		3.42	80
	330			265.16	103.72	91.84	84.21	74.6	68.43	60.6	3.45	80
2	150			192.21	78.74	69.68	63.92	56.55			3.3	70
	180			287.71	124.13	109.84	100.77	89.27	81.9		3.14	80
	210			287.64	118.52	104.85	96.27	85.24	78.15		2.91	80
	240			318.85	133.25	118.01	108.25	95.85	87.93		2.79	80
	270			318.79	128.65	113.85	104.49	92.53	84.83		2.79	80
300	347.87			143.44	127.02	116.51	103.17	94.64		2.59	80	
3	120			224.86	136.49	120.86	110.81	98.17	90.05		3.28	80
2	180			192.18	74.45	65.97	60.52	53.59	49.13		3.51	70
	210			192.15	71.14	62.99	57.79	51.16	46.86		3.24	70
	240	287.71	113.8	100.83	92.59	81.9	75.13	66.47	3.14	80		
	270	299.45	117.09	103.68	95.11	84.22	77.25	68.4	3.02	80		
	300	318.79	124.7	110.37	101.24	89.65	82.23	72.75	2.88	80		
3	150	287.68	170.72	151.05	138.66	122.78	112.58	99.73	3.32	80		
	180	313.03	181.88	161.06	147.72	130.79	120.05		3	80		
	210	338.22	194.1	171.87	157.66	139.6	128.06	113.39	2.79	80		
	240	349.95	196.69	174.16	159.76	141.46	129.76	114.9	2.65	80		
	270	359.54	197.33	174.69	160.35	142.02	130.22	115.28	2.54	80		
300	359.63	191.19	169.24	159.3	137.55	126.1	111.79	2.47	80			
4	90	192.21	121.26	107.37	98.5	87.21	80.01		3.51	70		
	120	287.68	144.72	128.15	117.55	104.09	95.48		3.18	80		
	150	318.85	140.33	124.25	113.91	100.92	92.58		2.9	80		
	180	359.65	161.16	142.68	130.88	115.96	106.32		2.64	80		
	210	359.66	153.87	136.25	124.93	110.67	101.5	89.88	2.53	80		
	240	359.68	147.87	130.93	120.06	106.32	97.54	86.38	2.52	80		
	270	359.68	142.79	126.4	115.96	102.62	94.19	83.38	2.28	80		
	300	359.7	138.24	122.51	112.29	99.48	91.25	80.76	2.4	80		
6	180	224.89	131.62	116.57	106.92	94.66	86.85		2.61	80		
	210	297.17	178.03	157.62	144.55	128	117.45	103.97	2.46	80		
	240	344.13	211.19	187.02	171.54	151.92	139.39	123.42	2.3	80		
	270	355.62	243.79	215.92	198.11	175.43	160.87		2.64	80		
8	120	132.4	96.5	87.04	78.03	24.07			36.06	70		
	150	178.73	121.1	109.59	98.34	89.06	30.35		40.99	80		
	180	205.82	140.83	127.55	114.43	103.59	34.35		40.92	80		
	210	201.27	134.52	121.84	109.27	98.94	32.83		40.85	80		
	240	359.68	184.53	150.05	137.69	121.95	111.88		2.05	80		
270	359.84	163.64	144.76	132.88	117.65	107.9	95.56	2.11	80			

